



Intrinsa CERTIFIED Products & Applications

Intrinsa Technology Labs

February 1, 2012 V2.0



Introduction

Intrinsa Technology Labs test and certify jointly with the manufacturers of physical security and technology products for risk free use with the industry's most popular and proven server, storage and appliance platforms.

Three levels of certification are offered by the Intrinsa Technology Labs.

Products may be certified for one, two or all three product families (Intrinsa VideoAppliance™ Server/Storage Appliances, Intrinsa EnterpriseServer™, and Intrinsa EnterpriseStorage™), depending upon capabilities and integration suitability.

Certification with one category does not guarantee certification with both of the others, due to differing technical requirements.

Certification Levels


There are 3 levels of certification available through the Intransa Technology Labs. They range from the entry CERTIFIED level through the more advanced SELECT CERTIFIED and ultimate SELECT ELITE CERTIFIED level. Each requires increasing levels of testing, integration and performance.



Intransa CERTIFIED Partner Requirements

SOFTWARE AND/OR HARDWARE PRODUCTS HAVE BEEN TESTED SUCCESSFULLY FOR INTEGRATION

Products qualifying for Certified partner status must complete Intransa Technology Lab Level 1 Validation. This can be accomplished through vendor self-testing with the Intransa Physical Security Test Lab (PS-VTL), by validation onsite in the Intransa Technology Lab facility, or by third party, pre-approved technology labs and/or customer test venues. All standard Windows and/or Linux operating system products are able to participate in this certification.



Intransa SELECT CERTIFIED Partner Requirements

SOFTWARE PRODUCTS HAVE BEEN TESTED FOR ADVANCED CERTIFICATION & INTEGRATION FOR PRELOADING ON INTRANSA VIDEOAPPLIANCE™ MEDIA KITS

HARDWARE PRODUCTS HAVE BEEN TESTED FOR PERFORMANCE & INTEGRATION

Products qualifying for SELECT partner certification status must complete Intransa Technology Lab Level 2 Certification and Integration testing, onsite in the Intransa Technology Lab facility.

For software products, only those supporting Microsoft Windows 7®, Server 2003 and/or Server 2008 operating systems may participate. Not all operating systems may be supported on all Intransa server or appliance platforms.



Intransa SELECT ELITE CERTIFIED Partner Requirements

SOFTWARE PRODUCTS HAVE BEEN TESTED FOR ADVANCED PERFORMANCE & INTEGRATION FOR PRELOADING ON INTRANSA VIDEOAPPLIANCE™ MEDIA KITS

HARDWARE PRODUCTS HAVE BEEN TESTED FOR ADVANCED PERFORMANCE & INTEGRATION

Products qualifying for SELECT ELITE partner certification status must complete Intransa Technology Lab Level 3 Certification and Integration testing, onsite in the Intransa Technology Lab facility. They must also have been certified at the SELECT level for at least six months, and be nominated by Intransa Sales based upon customer demand since only our most popular partner products are considered.

For software products, only those supporting Microsoft Windows 7®, Server 2003 and/or Server 2008 operating systems may participate. Not all operating systems may be supported on all Intransa server or appliance platforms.

Intrinsa SELECT & SELECT ELITE Partner by Manufacturer

Video Management Systems (VMS), Access Control (AC), Analytics

Intrinsa Technology Labs has validated certification with the following products.

Products are listed by manufacturer.

This list was current at time of printing, and is frequently updated. Please check with Intrinsa for the latest updates.

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
Aimetis	Symphony™ (Standard, Professional, Enterprise)	SELECT (VMS)	V6.7.0	Windows 2003/2008 Server (32- or 64-bit)		20GB	2-4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0412.html	http://bit.ly/oxiG7y	Would prefer a 40GB boot drive however will work with 20GB
AMAG	Enterprise Global Edition Database Server 1-512 Readers and 32 Clients (Dedicated Server Not to be used as a Client)	OEM ONLY - SEE NOTES	v7	Windows Server 2003 Standard SP2 Windows Server 2003 Standard R2 SP2	NovaBACK UP v7.2 Server Edition (SCSI DAT); SQL Server 2000 Std Edition (SP4) or SQL Server 2005 Std Edition (SP3) IE 8 MS- Outlook 2000 or 2003 (SP1)	20GB	1GB	Not Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2010/0914.html	Only AMAG PRE-LOADS SYMMETRY SOFTWARE - NOT COMPATIBLE WITH VMware Player	ORDERS MUST COME DIRECTLY FROM AMAG, INTRANSA FIELD TEAMS DO NOT SELL WHERE THE CUSTOMER HAS PURCHASED AMAG SOFTWARE ONLY
	Business/Professional Edition Database Server and Standalone Machine Maximum 9 Clients & 512 Readers (Not to be used for viewing live or recorded video)	OEM ONLY - SEE NOTES	v7	Windows Server 2003 Standard SP2 Windows Server 2003 Standard R2 SP2	NovaBACK UP v7.2 Server Edition (SCSI DAT); SQL Server 2000 Std Edition (SP4) or SQL Server 2005 Std Edition (SP3) IE 8 MS- Outlook 2000 or 2003 (SP1)	20GB	1GB	Not Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2010/0914.html	Only AMAG PRE-LOADS SYMMETRY SOFTWARE - NOT COMPATIBLE WITH VMware Player	ORDERS MUST COME DIRECTLY FROM AMAG, INTRANSA FIELD TEAMS DO NOT SELL WHERE THE CUSTOMER HAS PURCHASED AMAG SOFTWARE ONLY
	Client Machine (Business, Professional, Enterprise or Global)	OEM ONLY - SEE NOTES	v7	Windows Server 2003 Std SP2 Windows Server 2003 Std R2 SP2	IE 8 MS- Outlook 2000 or 2003 (SP1)	20GB	1GB	Not Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2010/0914.html	Only AMAG PRE-LOADS SYMMETRY SOFTWARE - NOT COMPATIBLE WITH VMware Player	ORDERS MUST COME DIRECTLY FROM AMAG, INTRANSA FIELD TEAMS DO NOT SELL WHERE THE CUSTOMER HAS PURCHASED AMAG SOFTWARE ONLY
	Symmetry NVR (No More)	OEM ONLY - SEE NOTES	v7	Windows Server 2003		20GB	2GB	Not Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2010/0914.html	Only AMAG PRE-LOADS SYMMETRY	ORDERS MUST COME DIRECTLY FROM AMAG, INTRANSA

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
	than 40 Cameras on each NVR)			Std SP2 Windows Server 2003 Std R2 SP2								4.html	SOFTWARE - NOT COMPATIBLE WITH VMware Player	FIELD TEAMS DO NOT SELL WHERE THE CUSTOMER HAS PURCHASED AMAG SOFTWARE ONLY
Avigilon	Control Center NVMS (Standard & Enterprise)	SELECT (VMS)	v4.8.2.12	Server 2008 R2		20GB	2-4GB see Minimum Spec	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0309.html	http://bit.ly/oxiG7y	http://www.avigilon.com/support/software/
Axis Communications	Axis Camera Station 3	SELECT ELITE (VMS)	3.41.021	Server 2003/2008		20GB	1GB. 4GB recommended for larger systems	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1006.html	http://bit.ly/nYTSBC	
AxxonSoft	Intellect Enterprise	SELECT (VMS)	v4.8.0	Windows Server 2003 SP1		20GB	2Gb	Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2011/0331.html	http://bit.ly/nBtzvc	
	Smart PRO	SELECT (VMS)	v2.0.4	Windows Server 2003 SP1		20GB	2GB - 6GB	Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2011/0331.html	http://bit.ly/nBtzvc	
Bosch	Bosch VMS 2.0	SELECT (VMS)	v2.3.1 BVIP Firmware 4.10.0041	Window 2003 Server Pack 2 (32-bit only) For all-in-one systems & max. 32 IP cameras		15G	2GB	Compatible	Compatible	Compatible	Not Compatible	http://www.intrinsa.com/news/releases/2010/0927.html	http://bit.ly/nuS4OF	
BriefCam	VS Forensics	SELECT (Analytics)	v2.03	Server 2008 SP2 & R2		20GB	2GB+	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0331.html	http://bit.ly/qSAgBw	

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
	VS Enterprise	SELECT (Analytics)	v2.03	Server 2008 SP2 & R2		20GB	2GB+	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0331.html	http://bit.ly/qSAGBw	
Canon	VK-16	SELECT (VMS)	v2.2.2	Windows Server 2003 SP2 or R2 (SP2), Windows Server 2008 (SP2) or R2 (SP2)		20GB	1GB+	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1007.html		
	VK-64	SELECT (VMS)	v2.2..2	Windows Server 2003 SP2 or R2 (SP2), Windows Server 2008 (SP2) or R2 (SP2)		20GB	1GB+	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1007.html		
DVTEL	Latitude NVMS® (Classic, Elite & Enterprise)	SELECT (VMS)	v6.1 SP1A	Server 2003 or Server 2008 (32 bit only)		20GB See Note	2-4GB	Not Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0325.html	http://bit.ly/oDwBEz	Log files are stored on the "C" drive by default (40 TB if DB running on the C Drive) and may be moved to another volume
Exacq Technologies	exacqVision	SELECT (VMS)	v4.5	Server 2003 or 2008 (32- or 64 bit)		30GB	1GB	Compatible - See Note	Compatible	Compatible	Not-Compatible	http://www.intrinsa.com/news/releases/2009/0603.html	http://bit.ly/mVLxw	http://tinyurl.com/43ye6et
Genetec	Omnicast	SELECT ELITE (VMS)	4.7 SR1 HIP2 (4.8 will be out 10/11)	Server 2003 or 2008 (32- or 64 bit)		80GB	2GB - 4GB	Compatible - See Note	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0609.html	http://bit.ly/qKlnYV	http://tinyurl.com/43ye6et
	Security Center	SELECT ELITE (VMS)	5.0 SR1 (5.1 will be out at the end of 11/11)	Server 2003 or 2008 (32- or 64 bit)		80GB	4GB	Compatible - See Note	Compatible	Compatible	Compatible		http://bit.ly/qKlnYV	http://tinyurl.com/43ye6et

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
	AutoView	SELECT (Analytics)	5.0 SR1 (5.1 will be out at the end of 11/11)	Server 2003 or 2008 (32- or 64 bit)		80GB	2GB	Compatible - See Note	Compatible	Compatible	Compatible		http://bit.ly/qKlnYV	http://tinyurl.com/43ye6et
IndigoVision	Control Center	SELECT (VMS)	v4.2	Server 2003 or 2008 (32- or 64 bit)		20GB	8GB	Not-Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0330.html	http://bit.ly/qtyW5B	IndigoVision is NOT COMPATIBLE WITH VMWare PLAYER AT THIS TIME
Infinias	Intelli-M	SELECT (AC)	v1.2	Server 2003 or 2008 (32- or 64 bit)		20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0915.html		
ISONAS	Crystal Matrix™	SELECT (AC)	v12.19	Server 2003 or Server 2008 (R2 will work)		20GB	1GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0929.html		
IPVision	Virtual Video Recorder	SELECT (VMS)	v3.9.18	Server 2003 or Server 2008 R2		20GB	4-8GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0913.html		
JDS	SoftSite4, Enterprise-2, Enterprise-3	SELECT (VMS)	v	Server 2003 or 2008				TBD	TBD	TBD	TBD	http://www.intrinsa.com/news/releases/2009/0601.html		
	SoftSite4, Enterprise-2, Enterprise-3	SELECT (VMS)						TBD	TBD	TBD	TBD			
	SoftSite4, Enterprise-2, Enterprise-3	SELECT (VMS)						TBD	TBD	TBD	TBD			

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
Level	Skypoint-NVR server	SELECT (VMS)	v6.4.500 TU1.1	Windows 2003 Server (32- or 64 bit)		20GB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1004.html		
	Skypoint-Client Viewer	SELECT (VMS)	v6.4.500 TU1.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 2.0, DirectX 9.0	20GB	4GB	Compatible - AVO Required	Compatible - AVO Required	Use VS30	Use VS30	http://www.intrinsa.com/news/releases/2010/1004.html		
	OnGuard LNVR	Testing Sept 27	TBD			TBD	TBD	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1004.html		Storage Only VA350st - VA CERTIFICATION BY OCTOBER 2011
March Networks	Command Enterprise	SELECT (VMS)	v1.2.1	Windows® 2008 Server OS R2		32-64GB	4-8GB	Compatible - See Note	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0917.html		http://tinyurl.com/43ye6et

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
Milestone	XProtect Corporate	SELECT ELITE (VMS)	v4.0b	Server 2003 or 2008 (32- or 64 bit)	MS Net 3.5 Framework SP1 or later	20GB	1Gb	Compatible - Requires MS10	Compatible - Requires MS10	Compatible - Requires MS10	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/ocU2LX	
	XProtect Corporate Smart Client	SELECT ELITE (VMS)	v6.0a	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0 MS NET 3.5 Framework SP1	20GB	1GB	Compatible - Requires MS10 & AVO	Compatible - Requires MS10 & AVO	Use VS30	Use VS30	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/ocRZL4	
	XProtect Corporate Management Server	SELECT ELITE (VMS)	v4.0b	Server 2003 or 2008 (32- or 64 bit)	MS Net 3.5 Framework SP1 IIS 6.0 MS SQL Express 2005/2008	20GB	1GB	Compatible - Requires MS10	Compatible - Requires MS10	Compatible - Requires MS10	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/ocU2LX	
	XProtect Corporate Management Client	SELECT ELITE (VMS)	v4.0b	Server 2003 or 2008 (32- or 64 bit)	MS Net 3.5 Framework SP1 DirectX 9.0 or newer	20GB	1Gb	Compatible - Requires MS10	Compatible - Requires MS10	Use VS30	Use VS30	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/ocU2LX	
	XProtect Enterprise	SELECT ELITE (VMS)	v8.0a	Server 2003 or 2008 (32- or 64 bit)	MS Net 3.5 Framework SP1 DirectX 9.0 IIS 5.1 & DirectX for PDA server	20GB	5GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/r8TSrG	
	XProtect Enterprise Smart Client	SELECT ELITE (VMS)	v6.0a	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0 MS NET 3.5 Framework SP1	20GB	1GB	Compatible - Requires AVO	Compatible - Requires AVO	Use VS30	Use VS30	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/rraL12	
	XProtect Professional	SELECT ELITE (VMS)	v7.0b	Server 2003 or 2008 (32- or 64 bit)	MS Net 1.1 Framework IIS 5.1 and DirectX for PDA server	20GB	1GB	Compatible - Requires AVO	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/nGU1Fg	
	XProtect Essential	SELECT ELITE (VMS)	v1.0b	Server 2003 or 2008 (32- or 64 bit)	MS Net 3.5 Framework SP1 DirectX 9.0	20GB	1GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/pFD2N4	
	XProtect Remote Client	SELECT ELITE (VMS)	v3.7a	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0 MS NET 3.5 Framework SP1	20GB	1GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html	http://bit.ly/qA9heR	
	XProtect Matrix Monitor	SELECT ELITE (VMS)	v2.3a	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0 or newer	20GB	1GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html		
Federation	SELECT ELITE (VMS)	v2.3a	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0	20GB	1GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0608.html		FEDERATION REQUIRES A SEPARATE SERVER	

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
OnSSI	Ocularis PS	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	DirectX 9.0 MS NET 3.5 Framework SP1 MS Internet Explorer 7.0 32 bit required	20GB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/ppzPwh	
	Ocularis IS	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 3.5 SP1 Framework; IIS 6.0 Internet Information Services (IIS) 5.0 Microsoft .NET Framework 1.1. required for NetPDA Server	20GB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/ppzPwh	
	Ocularis CS	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 3.5 SP1 Framework; IIS 6.0 Internet Information Services (IIS) 5.1	20GB	4GB	Compatible - See Note	Compatible - See Note	Compatible - See Note	Compatible	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/ppzPwh	CONTACT YOUR OnSSI RSM TO DETERMINE THE NEED FOR AN MS10
	Ocularis ES	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 3.5 SP1 Framework; IIS 6.0 Internet Information Services (IIS) 5.1	20GB	4GB	Compatible - Requires MS10	Compatible - Requires MS10	Compatible - Requires MS10	Compatible	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/qGV6jV	
	Ocularis Client	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 3.5 Framework and Direct X 9.0 or newer	20GB	4GB	Compatible - Requires AVO	Compatible - Requires AVO	Use VS30	Use VS30	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/ppzPwh	
	Ocularis Base Server	SELECT ELITE (VMS)	v2.0.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET 3.5 SP1 Framework; IIS 6.0 or newer	20GB	4GB	Requires 4GB RAM per App Mode	Compatible - Requires 12 GB RAM	Compatible - Requires 12 GB RAM	Compatible	http://www.intrinsa.com/news/releases/2009/0610.html	http://bit.ly/ppzPwh	

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
Open Options	DNA Fusion	SELECT (AC)	v5.4	Server 2003 or 2008 (32- or 64 bit)		20GB	2-8GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0920.html	http://bit.ly/nrkoTf	
	Siquira VMS System Manager 5.1 PLUS Recording Server/WS	SELECT (VMS)	v5.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET Framework 2.0 DirectX 9.0c DirectX for Managed Code	20GB	4GB	Not-Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0321.html		
Optelecom (SIQURA)	Siquira VMS System Manager 5.1 PLUS System Manager	SELECT (VMS)	v5.1	Server 2003 or 2008 (32-bit or 64 bit)	Microsoft .NET Framework 2.0 DirectX 9.0c DirectX for Managed Code	20GB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0321.html		
	Siquira VMS System Manager 5.1 PRO Recording Server/WS	SELECT (VMS)	v5.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET Framework 2.0 DirectX 9.0c DirectX for Managed Code	20GB	4GB	Not-Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0321.html		
	Siquira VMS System Manager 5.1 PRO System Manager	SELECT (VMS)	v5.1	Server 2003 or 2008 (32- or 64 bit)	Microsoft .NET Framework 2.0 DirectX 9.0c DirectX for Managed Code	20GB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0321.html		
	Net2	SELECT (AC)	v4	Server 2003 or 2008 (32- or 64 bit)		20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0928.html	http://bit.ly/qYFUCS	
Pelco	Digital Sentry DS NVs	SELECT ELITE (VMS)	7.1.90	Server 2003 or 2008 (32- or 64 bit)	Digital Sentry	50GB	4GB	Compatible - See Note	Compatible	Compatible	Compatible			http://tinyurl.com/43ye6et

Partner	Software Name	Cert. Level	Latest Software Rev.	OS Supported	Software	Boot Disk Min Size Tested & Certified	RAM required	VA1320	VA920-1020	SE500	SE700	Announcements	Min Server Specs	Notes
Salient	Complete View One	SELECT (VMS)	3.5.0.14	Microsoft Windows 2000/XP/Vista	Microsoft DirectX 9.0	20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0909.html	http://bit.ly/ohouEy	
	Complete View Pro	SELECT (VMS)	3.5.0.14	Microsoft Windows 2000/XP/Vista	Microsoft DirectX 9.0	20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0909.html	http://bit.ly/ohouEy	
	Complete View Enterprise	SELECT (VMS)	3.5.0.14	Microsoft Windows 2000/XP/Vista	Microsoft DirectX 9.0	20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2009/0909.html	http://bit.ly/ohouEy	
Soleratec	RSM	SELECT (Analytics)	v5.6.3	Server 2003 & 2008 R2		75MB	4GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/1011-02.html		
Sony	RealShot Manager	SELECT (VMS)	v1.4.0.8	Windows 2003 SP4		20GB	2GB	Compatible	Compatible	Compatible	Not-Compatible	http://www.intrinsa.com/news/releases/2010/1008.html		
Verint	Nextiva	SELECY (VMS)	v6.2	Server 2008 R2		20GB	2GB	Not-Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2011/0907.html		
Video Insight	VS	SELECT (VMS)	v4.3 IP	Server 2003 & 2008 R2		20GB	2GB	Compatible	Compatible	Compatible	Compatible	http://www.intrinsa.com/news/releases/2010/0922.html	http://bit.ly/qisYHu	1-40 cameras dual core, 40-80 cameras quad core, 80+ cameras dual quad, if VMS is performing motion detect - CALL VIDEO INSIGHT

Intrinsa SELECT & SELECT ELITE Partner by Manufacturer

HARDWARE

Intrinsa Technology Labs has validated certification with the following products.

Products are listed by manufacturer.

This list was current at time of printing, and is frequently updated. Please check with Intrinsa for the latest updates.

SELECT ELITE	NO PRE-LOAD AVAILABLE OR REQUIRED FOR THESE			
Partner	System Family	Application Category	Certification Type	Announcement
Arecont Vision	All	Cameras & Imaging	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/news/releases/2010/0921.html
Axis	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2010/1006.htm
IQinVision	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2010/1101.html

SELECT	NO PRE-LOAD AVAILABLE OR REQUIRED FOR THESE			
Partner	System Family	Partner	System Family	Partner
ACTi	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2011/0906.html
Arktan Systems	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/partners/cert-select.php#arktan
APPRO Technologies	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html
Avigilon	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html
Basler Vision Technologies	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/partners/cert-select.php#basler
Bosch	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/partners/cert-select.php#bosch
CNB	All	Cameras & Imaging	GSO 2010 Lab	http://www.intrinsa.com/partners/cert-select.php#cnb
Canon	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2010/1007.html
Mobotix	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/partners/cert-select.php#mobotix
Panasonic	All	Cameras & Imaging	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/partners/cert-select.php#panasonic
Pelco	All	Cameras & Imaging	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/partners/intrinsa_pelco.php
Sanyo	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2010/1005-02.html
Sony	All	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2010/1008.html
Visionhitech	All	Cameras & Imaging	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/news/releases/2011/0912.html
Vivotek	All	Cameras & Imaging	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/news/releases/2011/0329.html

Intrinsa CERTIFIED Partner by Manufacturer

HARDWARE & SOFTWARE

Intrinsa Technology Labs has validated certification with the following products.

Products are listed by manufacturer.

This list was current at time of printing, and is frequently updated. Please check with Intrinsa for the latest updates.

CERTIFIED	NO PRE-LOAD AVAILABLE FOR THESE			
Partner	System Family	Application Category	Certification Type	Announcement
Arteco	Max Flexibility/ No PL	VMS	Intrinsa Tech Lab/VTL	Not yet announced
AgentVI	Max Flexibility/ No PL	Video Analytics	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0915.html
Allied Telesis	Max Flexibility/ No PL	Infrastructure	Intrinsa Tech Lab	N/A
American Dynamics	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0120.html
APC	Max Flexibility/ No PL	Infrastructure	Intrinsa Tech Lab	N/A
APPRO Technologies	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html
Avigilon	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html
Black Labs	All/No PL	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html

CERTIFIED	NO PRE-LOAD AVAILABLE FOR THESE			
Partner	System Family	Application Category	Certification Type	Announcement
BVI	Max Flexibility/ No PL	Video Analytics	Intrinsa Tech Lab	Not yet announced
Cerium	Max Flexibility/ No PL	Video Analytics	GSO 2010 Lab	http://bit.ly/na5Lxm
Cisco	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0916.html
CNL	Max Flexibility/ No PL	Access Control, PSIM	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2007/1205.html
Commend USA	Max Flexibility/ No PL	Infrastructure	GSO 2010 Lab	http://www.gsoevents.com/technology.html#commend
CoreStreet	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.intrinsa.com/news/releases/2008/0915.html
GrandEye	All/No PL	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0916.html
Honeywell	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0120.html
KABA	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.intrinsa.com/news/releases/2008/0915.html
LenSec	Max Flexibility/ No PL	VMS	Intrinsa Tech Lab/VTL	http://www.intrinsa.com/news/releases/2010/0317.html
Lumenera	All/No PL	Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0916.html
Mate	Max Flexibility/ No PL	VMS	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0331.html
Meinberg	Max Flexibility/ No PL	Infrastructure	Intrinsa Tech Lab	N/A
Phoenix IVS	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0912.html
PixelVelocity	Max Flexibility/ No PL	VMS, Cameras & Imaging	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0331.html

CERTIFIED	NO PRE-LOAD AVAILABLE FOR THESE			
Partner	System Family	Application Category	Certification Type	Announcement
Pelco	Max Flexibility/ No PL	DVR/NVR	Intrinsa Tech Lab	http://www.securityworldhotel.com/uk/news.asp?type=2&id=48069
Privaris	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.intrinsa.com/news/releases/2008/0915.html
Proximex (ADT)	Max Flexibility/ No PL	PSIM	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0331.html
QuantumSecure	Max Flexibility/ No PL	Access Control	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0326.html
S2 Security	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.securitymagazine.com/articles/print/79388
SAM IP Video	Max Flexibility/ No PL	VMS	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0331.html
Software House	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.securitymagazine.com/articles/print/79388
TimeSight Systems	Max Flexibility/ No PL	VMS, Video Analytics	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0916.html
Vicon	Max Flexibility/ No PL	DVR/NVR	Customer test	N/A
VideoNEXT	Max Flexibility/ No PL	VMS, PSIM	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2009/0917-02.html
Vidient	Max Flexibility/ No PL	Access Control	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0916.html
VidSys	Max Flexibility/ No PL	VMS	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2008/0331.html
VMware	All	Infrastructure	Intrinsa Tech Lab	http://www.intrinsa.com/news/releases/2007/0911.html
XceedID	Max Flexibility/ No PL	Access Control	GSO 2010 Lab	http://www.intrinsa.com/news/releases/2008/0915.html

For More Information

To learn more, please visit us on www.intransa.com



Intransa, Inc. / www.intransa.com / www.intransablog.com
10710 N. Tantau Avenue, Cupertino, CA 95014 USA
Toll free 866.446.8726 **International** +1.408.678.8600 **Email** sales@intransa.com

© 2012, Intransa, Inc. All rights reserved.